

#### NEW SUPERFAST CMMS JOBO - 36CSS



# 53,000 PCS/HR

Under the premise of Machine Stability, we improved the cooling system and developed a new oil allocation system, which are the keys to improve the machine speed.

SPECIFICATION	JOBO-36CSS
ТҮРЕ	JOBO-36CSS
CAPACITY	35000-53000 PCS/HR
CAP DIAMETER	18-60 MM
CAP HEIGHT	12-50 MM
TOTAL INSTALLATION POWER	105 KW
ACTUAL PRODUCTION POWER	80 KW
COMPRESSED AIR REQUIREMENT	1 M <sup>3</sup> /MIN
OPERATING VOLTAGE	380V, 50HZ (Customizable)
DIMENSIONS	L4600*W2200*H2100 MM
MACHINE WEIGHT	10000 KG

# **FAST SPEED CMM** JOBO - 36CS



The Rotary Cap Compression Molding Machine is used to make various types of Plastic Caps through high-temperature plasticizing. This machine is easy to operate and saves electricity, water, and labor costs. Additionally, there is no wasted material, which significantly reduces the cost of making caps.

#### **SPECIFICATION J0B0-16CS J0B0-24CS J0B0-36CS** J0B0-24CS TYPE J0B0-16CS J0B0-36CS CAPACITY 12000-18000 PCS/HR 18000-30000 PCS/HR 24000-43000 PCS/HR CAP DIAMETER 18-60 MM 18-60 MM 18-60 MM 12-50 MM CAP HEIGHT 12-50 MM 12-50 MM TOTAL INSTALLATION POWER 43 KW 58 KW 98 KW ACTUAL PRODUCTION POWER 32 KW 48 KW 77 KW COMPRESSED AIR REQUIREMENT 0.5 M3 /MIN 0.6 M3 / MIN 0.5 M3 /MIN **OPERATING VOLTAGE** 380V, 50HZ (Customizable) 380V, 50HZ (Customizable) 380V, 50HZ (Customizable) DIMENSIONS L3700\*W1620\*H2100 MM L3910\*W1920\*H2100 MM L4550\*W2200\*H2100 MM MACHINE WEIGHT 5000 KG 7000 KG 9000 KG

#### www.joboindia.com

# **CAP FOLDING MACHINE** JOBO-27CS

This Folding Machine was firstly invented by JOBO Machinery, and it is used to fold inward the extension part of the cap anti-theft ring. The Machine is sync to the CCM speed, and it solves the problem of Cap Anti-theft ring enfolding.

SPECIFICATION	J0B0-27CS
ТҮРЕ	JOBO-27CS
CAPACITY	12000-42000 PCS/HR
CAP DIAMETER	18-60 MM
CAP HEIGHT	12-50 MM
TOTAL INSTALLATION POWER	1.5 KW
ACTUAL PRODUCTION POWER	1 KW
OPERATING VOLTAGE	220V, 50HZ
DIMENSIONS	L2000*W730*H1600 MM
MACHINE WEIGHT	260 KG







Slitting Machine, combined with Pneumatic system, PLC automatic control to tidy cap and output cap, also adjusts the depth of kerfs and guard against theft ring height, is used to cut bottle caps anti-theft rings making caps more tidy and neat.

#### SPECIFICATION

**JOBO-28CS** 

ТҮРЕ	J0B0-28CS
CAPACITY	25000-44000 PCS/HR
CAP DIAMETER	18-60 MM
CAP HEIGHT	12-50 MM
TOTAL INSTALLATION POWER	1.2 KW
ACTUAL PRODUCTION POWER	0.9 KW
COMPRESSED AIR REQUIREMENT	0.5 M <sup>3</sup> /MIN
OPERATING VOLTAGE	220V, 50HZ
DIMENSIONS	L1970*W860*H1270 MM
MACHINE WEIGHT	280 KG

### **CAP COOLER MACHINE** JOBO-32

The Machine is a cooling device which is used for especial and necessary plastic caps. The internal rotating net is inclined and the blower is arranged on one side of the support frame. The fast cooling speed and good cooling effect is to make the plastic caps production processing more stable.

SPECIFICATION	J0B0-32
ТҮРЕ	J0B0-32
TOTAL INSTALLATION POWER	2 KW
ACTUAL PRODUCTION POWER	2 KW
OPERATING VOLTAGE	220V, 50HZ
DIMENSIONS	L2050*W940*H1810 MM
MACHINE WEIGHT	200 KG



#### **CAP LINING MACHINE** JOBO-29

Cap Lining Machine is used to produce cap liner by TPE plastic pellet, effectively solve the inner pad health and leakage problem. This machine controlled by PLC system, according to with food hygiene standards of food leak and pressure resistance.



#### SPECIFICATION

J0B0-29

J0B0-29
15000-25000 PCS/HR
18-60 MM
12-50 MM
0.3-0.4 G/PC
10 KW
5 KW
0.5 M³ /HR
380V, 50HZ
L4500*W1000*H1200 MM
1600 KG

#### www.joboindia.com

# **CAPS & CLOSURES** That Can be Made By Our Compression Molding Machine









































www.joboindia.com







## **JOBO MACHINERY**

Plot No. - 129 To 131, Alpine Industrial Park, Nr. Choryasi Toll Plaza, At : Choryasi, Kamrej, Surat - 394150, Gujarat, INDIA. Info@joboindia.com | www.joboindia.com | Customer Care : +91 93278 23544, +91 84694 59013